



## QUICK AND CONVENIENT COLOUR PRINTING WITH IMAGECLASS MF621Cn AND MF628Cw

Efficiency is the key to productivity and profit in every business. Fitting right in with your fast-paced work environment, the imageCLASS MF621Cn and MF628Cw provide smart solutions to your business demands with reliable print performance, high-quality results, and mobile printing capabilities.

### MOBILE PRINTING ENABLED

Bring your business with you with the convenience of mobile printing on the network-ready MF621Cn and MF628Cw. The Canon PRINT Business app allows you to print various file types directly from iOS and Android devices.

Built-in Apple® AirPrint™ allows direct printing of documents from iOS devices without the hassle of installing printer drivers, while Google Cloud Print™ compatibility will allow you to print from virtually anywhere.









#### FAST PRINT & COPY SPEEDS

Work faster and more efficiently than ever with the MF621Cn and MF628Cw. Colour and monochrome documents are delivered at a speed of 14ppm (A4), and First Printout Time is achieved in 19 seconds.



## UFR II LT PRINT LANGUAGE SUPPORT

Get quicker printouts with the advantage of Canon's Ultra Fast Rendering or UFR II LT print language, which speeds up data-processing between the printer and your PC, and does away with the need for device memory add-ons.

## DEVICE MANAGEMENT

Department ID Management allows you to control and monitor the device usage, while with Remote UI, the administrator can check the printer status and manage print operations at the comfort of his desk.

# HASSLE-FREE TRANSFER WITH SEND TECHNOLOGY

Take advantage of Canon's Send Technology on the MF628Cw by scanning and sending documents to one or more destinations via email or I-fax, increasing the efficiency of document exchange in your office. Digitize your paper documents and send them to shared folders for convenient data access and management.

### LOW-KEY MAINTENANCE

Cartridge
331
GENUINE

Experience fuss-free replacement and maintenance with the Canon All-in-One Toner Cartridge 331, a well-designed compact unit that combines the <a href="mailto:photosensitiv">photosensitiv</a>e drum, toner reservoir and waste toner.

## NETWORK CONNECTIVITY





### **FFFICIENT ENERGY-SAVER**



Take your work pace up to speed by connecting the MF621Cn and MF628Cw to the network using its 10/100 Base-T/Base-TX wired Ethernet support. In addition, the MF628Cw comes standard with wireless and connecting it on a secured wireless network is easy with the WPS Easy Setup button.

Continuing Canon's long tradition of environmentally friendly products, both printer models are energyefficient with electricity consumption as low as 1W in sleep mode.



#### INTUITIVE NAVIGATION

With the 3.5-inch colour touchscreen, you can add your favourite Copy/Print/Fax settings as shortcut buttons, and rearrange the sequence of the shortcuts on the home screen to your preference, allowing for easy access and greater user convenience.



#### imageCLASS MFb2l(n|MFb28(w

		MF628Cw
PRINT SPECIFICATIONS		
Printing Method	Colour Laser Beam Printing	
Print Speed A4	Up to 14/14 ppm (Mono/Colour)	
Print Resolution	600 x 600dpi	
Print Quality with Image Refinement Technology	1200 x 1200dpi (equivalent) 9600 (equivalent) x 600dpi	
Warm up Time (From Power On)	23 sec or less	
First Printout Time A4 (FPOT)	Approx. 18/18 sec (Mono/Colour)	
Recovery Time (From Sleep Mode)	Approx. 8 sec	
Print Language	UFR II LT	
Direct Print (via USB host v1.1)	Print File format: JPEG, TIFF (*1)	
Print Margins	5mm - top, bottom, left and right (Other sizes than Envelope) 10mm - top, bottom, left and right (Envelope)	
Print Features	Poster, Watermark, Page Composer, Toner Saver	
COPY SPECIFICATIONS		
Copy Speed A4	Up to 14/14 ppm (Mono/Colour)	
Copy Resolution	Up to 600 x 600dpi	
First Copy Time A4 (FCOT)	Approx. 19/19 sec (Mono/Colour)	
Maximum Number of Copies	Up to 99 copies	
Reduce/Enlargement	25 – 400% in 1% increments	
Copy Features	Frame Erase, Memory Sort, 2 on 1, 4 on 1, ID Card Copy	
SCAN SPECIFICATIONS		
Scan Resolution	Optical: Up to 600 x 600dpi ; E	Oriver Enhanced: Up to 9600 x 9600dpi
Colour Depth	24-bit	
Scan Speed	Colour: 10 sheets / minute, Black and White: 20 sheets/minute	
Pull Scan	Yes, USB and Network	
Push Scan (Scan to PC) with Scan Utility	Yes, USB and Network	
Scan to USB / Media	Yes	
Scan Features	TWAIN, WIA (Scan Driver Compatibility)	
Scan to Cloud	Yes (Dropbox/Evernote)	
SEND SPECIFICATION		
Sending Method	N/A	SMB, E-mail, FTP, iFAX Simple
Colour Mode	N/A	Full Colour, Grayscale, Monochrome
Scan Resolution	N/A	300 x 300dpi, 200 x 200dpi
File Format	N/A	JPEG, TIFF, PDF, Compact PDF, PDF (OC
FAX SPECIFICATIONS		
Modem Speed	N/A	Up to 33.6 Kbps
Fax Resolution	N/A	Up to 406 x 391 dpi
Compression Method	N/A	MH, MR, MMR, JBIG
Memory Capacity (*2)	N/A	Up to 512 pages
Favourite Dials (in address book)	N/A	19 dials
Speed Dial (Coded Dial)	N/A	Up to 281 dials
Group dials / Destinations	N/A	Max 199 dials/ destinations
Sequential Broadcast	N/A	Max 310 destinations
Receive Mode	N/A	Fax Only, Manual, Answering, Fax/ Tel Auto Switch
Memory Backup	N/A	Permanent fax memory back-up
Fax Features	N/A	Fax Forwarding, Dual Access, Remote Reception, PC Fax (Transmission only DPRD, ECM, Auto Redial, Fax Activity Reports, Fax Activity Results Reports Fax Activity Management records

- \*1 TIFF files must be in MMR/JPEG compression formats. Some TIFF images downloaded from the internet may not be used.
- \*2 Based on ITU-T #1 Chart ( standard mode).
- \*3 Drivers for Mac OS can be downloaded from the www.canon-asia.com website when available.
- \*4 Only the print function is supported for Linux. The latest drivers for Linux can be downloaded from the www.canon-asia.com website when available.
- \*5 Tested in accordance to ISO 7779 and declared per ISO 9296.
- \*6 "Inaudible" means each Sound pressure level at bystander's position is less than the absolute criterion value about background noise of ISO 7779.
- \*7 Toner cartridge yield is in accordance with ISO/IEC 19798.
- \*8 Monthly Duty Cycle value provides a means of comparison for product robustness in relation to other Canon multi-function laser devices, and does not refer to actual maximum image output per month.

	MF621Cn	MF628Cw	
PAPER HANDLING SPECI	FICATIONS		
Auto Document Feeder (ADF)	N/A	50 sheets (80g/m²)	
Available Paper Size for ADF	N/A	A4, B5, A5, B6, Letter, Legal, Statement, Custom Size (Min. 128 x 139.7mm to Max. 215.9 x 355.6mm)	
Paper Input (Standard)	150-sheet Cassette 1-sheet Manual Feed Slot * Plain Paper (60-90g/m²)		
Paper Output	125 sheets	(face down)	
Paper Sizes (Standard Cassette)	A4, B5, A5, Legal, Letter, Statement, Executive, Government Letter, Government Legal, Footscap, 16K, Indian Legal, Postcard, Postcard without folding line Envelope: COM10, Monarch, C5, B5, D, L Custom(Min. 83 x 127mm to Max. 215.9 x 355.6mm)		
Paper Sizes (Multi-Purpose Tray)	A4, B5, A5, Legal, Letter, Statement, Executive, Government Letter, Government Legal, Foolscap, 16K, Indian Legal, Postcard, Postcard without folding line, Index Card Envelope: COM10, Monarch, C5, B5, C1 Custom(Min. 83 x 127mm to Max. 215.9 x 355.6mm)		
Paper Types	Plain, heavy, Recycled, Colour, Coated, Transparency, Label, Index, Envelope		
Paper Weight (Standard Cassette)	60 to 163g/m2		
Paper Weight (Multi-Purpose Tray)	60 to 220g/m2		
CONNECTIVITY & SOFTW	CONNECTIVITY & SOFTWARE		
Standard Interfaces (Wired)		Base-T Ethernet (Network)	
Standard Interfaces (Wireless)	N/A	Wi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)	
Network Protocol	Print:           LPD, RAW, WSD-Print (IPv4,IPv6)           Scan:           WSD-Scan(IPv4, IPv6)           TCP/IP Application Services:           Bonjour[mDNS], HTTP, HTTPS           DHCP, BOOTP, RAPP, ARPP-IPNG, Auto IP, WINS (IPv4)           DHCPv6 (IPv6)           Management:           SNMPv1, SNMPv3 (IPv4,IPv6)		
Network Security (Wired)	IP/Mac address filtering, IEEE802.1x, SNMPv3, HTTPS,IPSEC		
Network Security (Wireless)	N/A	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES), 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS)	
One-Push Wireless Configuration	N/A	Wi-Fi Protected Setup (WPS)	
Department ID	Yes, up to 300 IDs		
Mobile Print	Canon PRINT Business, Apple AirPrint, Mopria, Google Cloud Print, Canon Print Service		
Compatible Operating Systems	Windows® 10, Windows® 8.1, Windows® 8, Windows® 7, Windows Server® 2012R2, Windows Server® 2012, Windows Server® 2008 R2, Windows Server® 2008, Windows Vista®, Windows Server® 2003, Mac® OS X 10.5.8 & upl*3], Linux[*4]		
Software included	Printer driver, Scanner driver, Network Scan Utility, MF Scan Utility, Presto! PageManager	Printer driver, Fax driver, Scanner driver, Network Scan Utility, MF Scan Utility, Presto! PageManager	
GENERAL SPECIFICATION	NS		
Device Memory	512 MB		
LCD Display	QVGA Colour I	_CD 3.5" touch	
Dimensions (W x D x H)	430 x 484 x 375 mm	430 x 484 x 429 mm	
Weight	22 kg (24 kg with cartridge)	24 kg (26 kg with cartridge)	
Power Consumption (Maximum)	900W or less		
Power Consumption (Average; During Operation)	Арргох. 400 W		
Power Consumption (Average; During Standby)	Approx. 20 W		
Power Consumption (Average; During Sleep)	Approx. 1.0 W	Approx. 1.0W Approx. 2.0W (wireless ON)	
Noise Levels (*5)	During Operation:  Sound Pressure Level (Bystander's position): 48 dB in Colour printing 48 dB in B/W printing Sound Power Level: 65.2 dB or less in Colour Printing (TBD) 63.9 dB or less in B/W Printing (TBD)  During Standby: Sound Pressure Level (Bystander's position): Inaudible (*6) Sound Power Level: 43 dB or less or B/W Printing (TBD)		
Operating Environment	Temperature: 10 to 30°C		
	Humidity: 20% to 80% RH (no condensation)		
Power Requirements	AC 220 - 240V, 50/60H  Cartridge 331 BK: 1,400 pages (bundled cartridge: 800 pages)		
Toner Cartridge (*7)	Cartridge 331 II BK: 2,400 pages Cartridge 331 C/M/Y: 1,500 pages (bundled cartridge: 800 pages)		
Monthly Duty Cycle (*8)	Up to 30,000 pages		
Recommended Monthly Print Volume	250 - 1,000 pages		

## Canon

Delighting You Always

#### SOUTH & SOUTHEAST ASIA **REGIONAL HEADQUARTERS**

Canon Singapore Pte. Ltd. 1 Fusionopolis Place #15-10 Galaxis Singapore 138522

Tel: 65-6799-8888 Fax: 65-6799-8882

www.canon-asia.com

#### CANON OFFICES

HONG KONG Canon Hongkong Co., Ltd. Tel: 852-3191-2388 Fax: 852-2369-3800 www.canon.com.hk

INDIA Canon India Pvt. Ltd. Tel: 91-124-4160-000

Fax: 91-124-4160-011 www.canon.co.in

MALAYSIA

Canon Marketing (Malaysia) Sdn. Bhd.

Tel: 603-7844-6000 Fax: 603-7845-0505 www.canon.com.my

**PHILIPPINES** Canon Marketing

(Philippines), Inc. Tel: 632-884-9000 Fax: 632-894-4174 www.canon.com.ph

SINGAPORE

Canon Singapore Pte. Ltd. Tel: 65-6799-8888 Fax: 65-6799-8882 www.canon.com.sq

THAILAND

Canon Marketing (Thailand) Co., Ltd.

Tel: 66-2-3449-999 Fax: 66-2-3449-967/68 www.canon.co.th

VIETNAM

Canon Marketing Vietnam Co., Ltd. Ho Chi Minh City, Vietnam Tel: 84-8 38200 466 Fax: 84-8 38200 477 www.canon.com.vn

#### **CANON BUSINESS PARTNERS**

BANGLADESH J.A.N Associates Tel: 880-2-8611-444 Fax: 880-2-8610-410

BRUNFI

Interhouse Company Tel: 673-2-6530-01 Fax: 673-2-6530-03

CAMBODIA

i-Qlick (Cambodia) Pte. Ltd. Tel: 855-23-966-638 Fax: 855-23-996-639

Royal Cambodia Co., Ltd Tel : 855-23-4289-55 Fax: 855-23-7229-61

INDONESIA

P.T. Samafitro Tel: 62-21-3455-521 Fax: 62-21-3844-271

MALDIVES

SIMDI Company (Pvt) Ltd. Tel: 960-3334-421 Fax: 960-3334-424

MYANMAR

Myanmar Golden Rock International Co., Ltd. Tel: 95-1-654810 Fax: 95-1-654820

NEPAL

International Electronics Concern (P) Ltd. Tel: 977-1-4421-991 Fax: 977-1-4421-909

**PAKISTAN** 

Shirazi Trading Co. (Pvt.) Ltd. Tel: 9221-32417659 Fax: 9221-32417747

SRI LANKA

Metropolitan Office (Pvt) Ltd Tel: 94-114 700 200 Fax: 94-114 700 267

#### DEALER'S STAMP

#### 0195W402 ଓ 2015 Canon Singapore Pte. Ltd. All rights reserved.

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this documents should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this documents.

Canon, imageCLASS and Business Can Be Simple are trademarks of Canon Inc, and/or its affiliates. Other names may be the trademarks for their respective owners.