

DocuPrint
CP115 w / CM115 w / CP225 w / CM225 fw
A4 Colour Printers



DocuPrint C115 / 225 Series A4 Colour Printers

Print. Your way

Make the connection

In today's fast-paced world, we have access to information everywhere we go. Fuji Xerox latest range of colour printers feature clever technology that allows easy connectivity to wireless and mobile devices.



DocuPrint CM225 fw Quick Facts

- 18 ppm colour and mono
- 1200 x 2400 dpi
- USB, Ethernet, Wireless
- 512MB memory
- 525MHz processor
- Mobile print supported

 Print / Copy
Scan / Fax

 A4

 18 ppm

WxDxH:
410 x 438.5 x 387.5mm



Print. Your way

The DocuPrint C115 / 225 series colour printers allow you to print in the office or on the go from mobile devices with Air Print and Google Cloud Print.

AirPrint and Google Cloud Print Ready*



AirPrint™ and Google Cloud Print™ enables you to print directly from your mobile device without the need to install print drivers. Perfect for people on the move.



Print from anywhere*. Google Cloud Print allows you to connect your printers to the web, so you can make your home and work printers available to you from the applications you use every day, from wherever you are.

*Google Cloud Print only available on DocuPrint CP225 w and CM225 fw

Vibrant colour



Produce vibrant colour documents with incredible clarity and precision through best in class 1200 x 2400dpi colour printing.

Impressive colour

Make a lasting impression in brilliant colour – S-LED technology, combined with our EA-Eco toner produces glossy, vibrant colours; rich, deep blacks; and the smoothest colour transitions. Matched with a 1200x2400dpi print resolution, the DocuPrint C115 / 225 Series printers will deliver amazing results.



Brilliant highlights

MACS (Micro Accurate Control Screen) optimises the shape of screen elements in accordance with the image density of the area. This technology offers reproduction of smooth gradations and beautiful highlights.



DocuPrint CP225 w Quick Facts

- 18 ppm colour and mono
- 1200 x 2400 dpi
- USB, Ethernet, Wireless
- 256MB memory
- 525MHz processor
- Mobile print supported



Print

A4

18 ppm

WxDxH:
397 x 398 x 246mm



High-speed colour correction

IReCT (Image Registration Control Technology) provides ultra high precision colour printing of 2400 dpi, that accurately corrects image misalignments through a digital process.



Higher speed – increased productivity

The DocuPrint C115 / 225 Series printers feature fast CPUs, impressive memory, fast warm-up time and superior fusing technology delivering exceptional print speeds, increased efficiency, and operational reliability.



The DocuPrint C115 / C225 Series Colour Printer Range



DocuPrint CP115 w^{*} / CP116 w
10ppm Colour / 12ppm Mono
USB, Wireless
1200 x 2400 dpi
Print



^{*} Available only in Black



DocuPrint CM115 w
10ppm Colour / 12ppm Mono
USB, Wireless
1200 x 2400 dpi
Print, Copy, Scan



DocuPrint CP225 w
18ppm Colour & Mono
USB, Ethernet, Wireless
1200 x 2400 dpi
Print



DocuPrint CM225 fw
18ppm Colour & Mono
USB, Ethernet, Wireless
1200 x 2400 dpi
Print, Copy, Scan, Fax





Ultimate Usability

The clever design features found in the DocuPrint C115 / 225 series printers make operation simple and increase efficiency.


Advanced 4.3" colour touch screen interface

The DocuPrint CM225 fw features an advanced 4.3" colour touch screen interface. Its big, bright icons and intuitive menus make walk-up operation incredibly fast and simple.



Connect with a touch of a button

The DocuPrint C115 / 225 series feature one-touch Wi-Fi setup (WPS 2.0) making Wi-Fi set up effortless and a breeze to share the printer wirelessly among small workgroups. Simply press the WPS button on the printer, then the WPS button on a Wi-Fi enabled router to establish a Wi-Fi connection.



Quick and easy connection. With WPS makes Wi-Fi set up effortless.



Convenient. Scan and save directly to USB memory.



Easy change consumables. Changing toner cartridges is quick and simple.

Eco-friendly

The DocuPrint C115 / 225 series printers are designed to reduce the impact on the environment and reduce operating costs.

Trouble free printing, eco-friendly technology

Proven S-LED print engine technology consumes minimal energy and space, and operates quietly. With few moving parts, your printer requires very little maintenance and therefore, less replacement needs.



A greener toner

EA (Emulsion Aggregation)-Eco toner is a special toner that allows fusing to paper at a much lower temperature. This allows you to save up to 20% power consumption and reduce CO₂ emissions by up to 35% compared to conventional Fuji Xerox toners. That means bigger cost savings for you and a greener planet for us all.



Less waste

Less consumables means less waste. High yield toner cartridges combined with a 4-level toner save mode help to reduce the frequency of toner cartridge replacement. Plus, the DocuPrint C115 / 225 series contains a long-life drum that supports the life of the printer. This all results in far fewer consumable waste ending up in landfill sites.



Extend the life of your toner

The 4-level toner save mode gives users complete control of toner usage by selecting a mode that is most suited to the output that is required. For instance, when printing documents for internal use, you may want to use the lightest setting for maximum toner saving.



Off




Light



Lighter



Lightest



Specifications DocuPrint CP115 w / CM115 w / CP225 w / CM225 fw

Product Name	DocuPrint CP115 w / DocuPrint CP116 w	DocuPrint CM115 w	DocuPrint CP225 w	DocuPrint CM225 fw
Function	Print	Print / Copy / Scan	Print	Print / Copy / Scan / Fax
Print Function				
Print Speed (A4)	10ppm Colour, 12ppm Monochrome		18ppm Colour, 18ppm Monochrome	
Print Resolution	1200 x 2400dpi (Fuji Xerox Imaging Technology)			
First-page-out Time*	17.3 seconds Colour, 15.0 seconds Monochrome		15.0 seconds Colour, 12.5 seconds Monochrome	
Warm-up Time*	28 seconds or less	32 seconds or less	28 seconds or less	35 seconds or less
Memory (std/max)	128MB	256MB	256MB	512MB
Processor	525MHz			
PDL	Host-based		PCL5e, PCL6, PostScript® 3™ Compatible	
Connectivity	USB2.0(Hi-speed), IEEE802.11b/g/n		10/100BaseT, USB2.0(Hi-speed), IEEE802.11b/g/n	
Supported Operating System	Windows Server 2003 (32bit/ 64bit), Vista (32bit/ 64bit), Server 2008 (32bit/64bit), Server 2008R2 (64bit), Win7 (32bit/64bit), Win8(32bit/64bit), Win8.1(32bit/64bit), Server 2012(64bit), Mac OS X Version 10.5.x, 10.6.x, 10.7.x, 10.8.x and 10.9.x			
Protocol	TCP/IP (IPv4/IPv6), LPD, Port9100, WSD*, HTTP, HTTPS, SMTP, RARP, BOOTP, AutoIP, FTP, DNS, IPP, IPPS,SMTP, SMB, SNMPv1, SNMPv2,DHCPv6, Bonjour® (mDNS)		TCP/IP (IPv4/IPv6),LPD, Port9100, WSD*, HTTP, HTTPS, SMTP, RARP, BOOTP, AutoIP, FTP, DNS, DDNS, IPP, IPPS,SMTP, SMB, SNMPv1, SNMPv2,SNMPv3,DHCPv6, Bonjour® (mDNS),IPsec	
Input Paper Size Main Tray	A4, B5, A5, Letter, Executive, Folio (215.9 mm x 330.2 mm), Legal, Envelope (Com-10/Monarch /DL /C5)			
Media Input Capacity	150 sheets	150 + 10 sheets	150 sheets	150 + 15 sheets
Media Output Capacity	100 sheets face-down			
Media Types Main Tray	Plain, Plain-thick, Recycled, Labels, Covers, Coated,Envelope		Plain, Plain-thick, Recycled, Labels, Covers, Coated, Envelope	
Input Media Weight	60-163gsm			
Engine Life	30,000 pages or 5 years			
Print Features	Toner Save Mode, Manual Duplex, Print Cancel (from panel), N-up, Poster, Watermarks, Collate, Image Rotation (180degree), USB Direct Print¹, Secure Print²			
Mobile Print Features	AirPrint		AirPrint, Google Cloud Print	
Dimensions (WxDxH)	394 x 304 x 234 mm	410 x 389 x 318 mm	397 x 398 x 246 mm	410 x 438.5 x 387.5 mm
Weight³	10.9 kg	14.5 kg	12.4 kg	16.9 kg
Usage Environment Temperature /Humidity	10° to 32° C, 10% to 85% RH			
Electrical Power	AC220-240V±10%, 5A or less; both50/60 Hz or AC110-127±10%, 7A or less; both50/60 Hz			
Power consumption	Maximum:770(115V)/790(230V) W Deep Sleep:2W or less Standby:42W or less During continuous printing: 220W(115V)/210W(230V)	Maximum:790W(115V)/790(230V) W Deep Sleep:2W or less Standby:42W or less During continuous printing: 210W(115V)/220W(230V)	Maximum:790W(115V)/810(230V) W Deep Sleep:3W or less Standby:42W or less During continuous printing: 340W(115V)/320W(230V)	Maximum:790W(115V)/820(230V) W Deep Sleep:3W or less Standby:42W or less During continuous printing: 330W(115V)/330W(230V)
Wireless Specification				
Compliant Standard	IEEE802.11b/g/n			
Security Protocol	WEP (64/128bits), WPA-PSK (TKIP/AES), WPA2-PSK (AES), WPA / WPA2-PSK Mixed			
Certifications	Mode Wi-Fi, WPA2.0 (Personal)			
Wi-Fi Protected Setup (WPS)2.0	Push Button Configuration (PBC), Personal Identification Number (PIN)			
Copy Function				
Copy Speed	-	10 ppm Colour 12 ppm Monochrome	-	Up to 18ppm Colour, 18ppm Monochrome
Copy Resolution	-	Flatbed: 600 x 600 dpi	-	Flatbed: 600 x 600 dpi ADF: 600 x 300 dpi
First-copy-out Time	-	40 seconds (Colour), 24 seconds (Mono)	-	30 seconds (Colour), 20 seconds (Mono)
Reduction / Enlargement	-	25 - 400 %	-	25 - 400 %
Continuous Copy	-	1-99 pages	-	1-99 pages
Copy Features	-	ID Card Copy, 2 in 1 Copy, Edge Erase, Collate (Electronic Sort)	-	ID Card Copy, 2 in 1 Copy, Edge Erase, Collate (Electronic Sort)
Scan Function				
Type	-	Colour CIS	-	Colour CIS
Scanning Resolution	-	Optical: up to 1200 x 1200 dpi Enhanced: up to 4800 x 4800 dpi	-	Optical: up to 1200 x 1200 dpi Enhanced: up to 4800 x 4800 dpi
Colour Depth	-	24bit	-	24bit
Document Size	-	Flatbed: 215.9 x 297 mm	-	Flatbed: 215.9 x 297 mm ADF: 215.9 x 355.6 mm
Scanning Speed ⁵	-	Colour: 4.4 sec/page Mono: 2.4 sec/page	-	Colour: 4.4 sec/page Mono: 2.4 sec/page
Scan Destinations	-	Scan to USB Memory Drive, Scan to Application (PDF/JPEG/TIFF) Scan to E-mail, Scan to FTP/SMB(PDF/JPEG/TIFF)	-	Scan to USB Memory Drive, Scan to Application (PDF/JPEG/TIFF), Scan to E-mail, Scan to FTP/SMB(PDF/JPEG/TIFF)
Supported Driver	-	TWAIN, WIA Mac ICA	-	TWAIN, WIA Mac ICA
Fax Function				
Compatibility	-	-	-	ITU-T Super G3/G3 ECM/G3
Communication System	-	-	-	PSTN, PABX
Transmission Speed	-	-	-	Up to 33.6 kbps
Memory Capacity (A4 pages)	-	-	-	2MB
Fax Resolution	-	-	-	400 x 400 dpi
One-Touch/ Speed Dials	-	-	-	One-Touch: Up to 8 locations/ Speed Dials: Up to 99 locations
Fax Features	-	-	-	Fax forward to E-mail, Fax forward to FTP/SMB, PC Direct FAX, Secure FAX Receive, Remote Fax Receive, Junk FAX Filter
Warranty	1 year quick exchange			
Consumables				
Black toner cartridge (up to 2,000 pages⁶)	CT202264			
Cyan toner cartridge (up to 1,400 pages⁶)	CT202265			
Magenta toner cartridge (up to 1,400 pages⁶)	CT202266			
Yellow toner cartridge (up to 1,400 pages⁶)	CT202267			
Cyan toner cartridge (up to 700 pages⁶)	CT202268			
Magenta toner cartridge (up to 700 pages⁶)	CT202269			
Yellow toner cartridge (up to 700 pages⁶)	CT202270			

Consumables

Black toner cartridge (up to 2,000 pages ⁶)	CT202264
Cyan toner cartridge (up to 1,400 pages ⁶)	CT202265
Magenta toner cartridge (up to 1,400 pages ⁶)	CT202266
Yellow toner cartridge (up to 1,400 pages ⁶)	CT202267
Cyan toner cartridge (up to 700 pages ⁶)	CT202268
Magenta toner cartridge (up to 700 pages ⁶)	CT202269
Yellow toner cartridge (up to 700 pages ⁶)	CT202270

¹ Only available on the DocuPrint CM225 fw. ² Only available on the 225 Series. ³ The weight of the toner cartridge is included. ⁴ WSD stands for Web Services on Devices. ⁵ When scanning A4 size at 600x300dpi. Does not include time to transfer scan data to PC. Value will vary based on image, scan settings and usage environment. ⁶ Declared yield in accordance with ISO/IEC 19798 and ISO/IEC 24712. Yield will vary based on image, area coverage and print mode.

115 series: Printer is shipped with one standard toner yield 500pages (Black,Cyan, Magenta, Yellow) toner.
225 series: Printer is shipped with one standard toner yield 1,000 pages (Black) and 700pages (Cyan, Magenta, Yellow) toner.



Reproduction Prohibitions Please note that reproduction of the following is prohibited by law: Domestic and foreign currencies, government-issued securities, and national bonds and local bond certificates. Unused postage stamps, post cards, etc. Certificate stamps stipulated by law. Reproducing works forming the subject matter of copyright (literary works, musical works, paintings, engravings, maps, cinematographic works, drawings, photographic works, etc.) is not permitted unless the reproduction is for the purpose of personal use, family use or other similar uses within a limited circle.

For Your Safety

Before using the product, read the Instruction Manual carefully for proper use. Use the product with the power source and voltage specified. Be sure to establish ground connection. Otherwise, electronic shock may result in the case of a failure or short circuit.

For more information or detailed product specification, please call or visit us at

Fuji Xerox Asia Pacific Pte Ltd

14a Rodborough Road Frenchs Forest NSW 2086

Australia 1300 793 769 | www.fujixeroxprinters.com.au

New Zealand 0800 993 769 | www.fujixeroxprinters.co.nz

