
INK TANK SYSTEM PRINTERS M100/M200





Epson's original ink tank system printers now bring even better performance with a blazing print speed of up to 34ppm/cpm for 24-hour service stations such as hotels, hospitals and retailers. Save more money and time with Epson's low cost ink bottles while increasing productivity every day.





M100 Print

M200 Print/Scan/Copy

ENGINEERED FOR BUSINESS

The Epson M100 and M200 come bundled with an initial starter kit of 2 bottles of inks (140ml and 70ml)

for a total yield of up to 8,000 pages. (note: 70ml bottle is not for sale)

Superb Savings and Page Yield

At just US 0.33 cents per mono printout, a bottle of 140ml of ink delivers an ultra high yield of 6,000 pages. Printer is bundled with an additional 70ml ink bottle that increases the page yield to 8,000 pages.

Distinctive Print Speed

Laser quality print speed of 15ipm and quick reference print speed at 34ppm that increase your business productivity.

High Quality & Durability

Clear, sharp and durable printouts with genuine pigment ink that are water and fade resistant.

Take your business productivity to the next level with the M100 and M200 original ink tank system printers that deliver speedy performance with low running costs. High capacity ink and superb durability ensure reliable high volume printing without compromising quality.



Superb Savings and Page Yield

Epson's proven original ink tank system printers deliver reliable printing with unrivalled economy. At just US 0.33 cents per mono printout that is 50% lower cost compared against third party refilled toner cartridges*, the M100 and M200 let you enjoy ultra high yield options of 6,000 pages, reducing the constant hassle of refilling. The M100 and M200 come bundled with an initial starter kit of 2 bottles of inks (140ml and 70ml) for a total yield of up to 8,000 pages.



*Comparisons made against similarly-priced monochrome laser printers using third-party toner cartridges: Epson M100 and M200 printers using ink from T7741 ink bottles compared against monochrome multi-function laser printers costing below US\$150 (incl. tax) and US\$200 (incl. tax) respectively from most major brands. All information correct at time of publication.

Distinctive Print Speed

Busy offices will appreciate the laser quality speed of 15ipm and draft print speed of 34ppm in both M100 and M200. In addition, the M200 comes with a copy speed of up to 34cpm.



High Quality & Durability

With Epson genuine pigment inks, you can now enjoy exceptional print quality with water and fade resistant printouts. Rejoice in the remarkable durability and cost efficiency that come with these printers.

Network Connectivity



The Epson M100 and M200 can be shared amongst a work group through Ethernet, increasing efficiency.

Seamless Printing with Epson iPrint

The M200 makes your printing process effortless with Epson iPrint, when connected to a wireless network.

• **Epson iPrint** lets you print directly from smart devices. You can also scan to your device to send as an email, or upload to cloud services such as Box.net, Dropbox, Evernote[®] or Google[®] Doc[™].



Increased Productivity

The M200 enhances your productivity when you copy and scan documents with its Automatic Document Feeder (ADF) that accepts up to 30 pages, keeping your printing time short and sweet.



Smooth Operation with Integrated 2-line LCD Panel

The M200 increases efficiency with a built-in 2-line LCD screen that provides versatile functions like status of print jobs.



Space-saving Design

The M100 and M200 ink tank system printers not only work well, but also fit comfortably in your office. They sport a compact design and footprint that can be easily integrated into small desktops.



Epson Warranty for Peace of Mind

Enjoy warranty coverage of one year or 50,000 prints, whichever comes first, for maximum value from your printer and freedom from worries over its maintenance.

Better Products for a Better Future™



Minimise energy costs with these Energy Star certified printers that have up to 70% lower power consumption than conventional lasers without compromising high productivity.

*Results based on Epson internal testing conducted using US-equivalent 120V models.

For more information on Epson's environmental programme, visit http://global.epson.com/SR/environment.

PARTNERS IN PERFECTION



Epson genuine inks are designed specifically to work with your Epson printer to deliver long-lasting results.



WorkForce WF-3521

The multifunctional capabilities of Epson WorkForce WF-3521 allows you to print, scan, copy and fax seamlessly. With the full suite of Epson Connect services, you can now print wirelessly and remotely from smart mobile devices, tablets or computers.

SPECIFICATIONS M100/M200



MODEL NUMBER	M100	M200	
Printing			— Dimens
Print Method	On-demand ink jet (piezoelectric	2)	M100
Nozzle Configuration	360 nozzles Black		
Print Direction	Bi-directional printing, Uni-direct	ional printing	_ Weight
Maximum Resolution	1440 dpi x 720 dpi (with Variable		—
		e-Sized Dropiet Technology)	_
Minimum Ink Droplet Volume	3pl		—
Print Speed			148mr
Max Black Draft Text ⁻¹ - Memo (A4) ^{#1}	Approx. 34 ppm (Draft)		(5.8")
ISO Default - ISO 24724 Black ^{*2}	Approx. 15 ipm		_
Double-sided Printing	Yes (Manual)		_
Collate (Yes/No)	Yes		26
Control Panel	100		- (10
CD Screen	N/A		(
	N/A	2Line LCD	_
Copying			
Copy Speed			
Max Black Draft Text - Memo (A4)	N/A	Approx. 34 ppm (Draft)	M200
Reduction/Enlargement	N/A	25 – 400%, Auto Fit Function	Weight
Copy Mode	N/A	Standard copy mode	
Aaximum Copies from Standalone	N/A		—
	N/A	199	_
canning			
Scanner Type	N/A	Flatbed colour image scanner	226m
Sensor Type	N/A	CIS	(8.9)
Optical Resolution	N/A	1200 dpi x 2400 dpi	(210
Compatibility	N/A	TWAIN, WIA,ICA	_
Maximum Scan Area	N/A	216 x 297mm (8.5 x 11.7")	_
Scanner Bit Depth	<u>1 W / 73</u>	[<u>210 x 2011111 [0.0 X 11.1]</u>	—
	NI/A	40 lait internal 0.4 lait as terral	377
Colour	N/A	48-bit internal, 24-bit external	(14
Grayscale	N/A	16-bit internal, 8-bit external	
Black & White	N/A	16-bit internal, 1-bit external	
Scan Speed		·	
Monochrome 300 dpi	N/A	2.2 msec/line	
Colour 300 dpi	N/A	7.0 msec/line	_
			_
Monochrome 600 dpi	N/A	2.4 msec/line	 *1 Print
Colour 600 dpi	N/A	12.7 msec/line	when
Monochrome 1200 dpi	N/A	8.5 msec/line	faste
Colour 1200 dpi	N/A	25.4 msec/line	on sy
ADF			- comp
Maximum Document Size	N/A	A4, US Letter, Legal size	conn
Support Paper Type	N/A	Only support Plain Paper	_ proce
	N/A	64-95g/m ²	
Support Paper Thickness			-
Capacity/Maximum Number of Original	N/A	30pages (Xerox-P 64g/m ²) or	832
		3mm (Letter,A4/10 sheets (Legal)	50
Printer Interface			10/010
JSB	Hi-Speed USB 2.0		1010
Ethernet	100BASE-TX / 10BASE-T		-
Mobile Printing	N/A	Epson iPrint	-
Paper Handling			
Paper Feed Method	Friction feed		— Bla
Number of Paper Trays	1		
Paper Hold Capacity			*2 Deter
Input Capacity	100 sheets, A4 Plain paper (75g		show
Output Capacity	30 sheets, A4 Plain Paper (Defa	ult Text)	Cate
Paper Size		, 13x18cm(5x7"), 9x13cm(3½ x5"), Letter (8½ x11"), Legal (8½ x14"),	— see y
		5x8"), 20x25cm (8x10"), 16:9 wide size, 100x148mm,	*3 Quot
	Envelopes: #10(41/8 x91/2"), DL (1		Epsc
Anvimum Danar Siza		10A22011111, 00 (114A10211111)	— simula
Aaximum Paper Size	8.5 x 44"		— Quot
Print Margin	3mm top, left, right, bottom		Quot
loise Level			that y
PC Printing / PGPP Best Photo			are u
LwAd: B(A)	5.2B(A)	5.3B(A)	envir
LpAm: dB(A)	38dB(A)		_
PC Printing / Plain Paper default		[<u></u>] <u></u>	
	C ED(A)	6 4B(A)	5
LwAd: B(A)	6.5B(A)	6.4B(A)	_
LpAm: dB(A)	51dB(A)	50dB(A)	- 142
lectrical Specifications			- Ma
lated Voltage	AC 100-240V		1
lated Frequency	50~60 Hz		© 2012 E
ower Consumption	<u></u>		
	NI/A	1014/	Reprodu
Standalone Copying	N/A	10W	permissio
Printing	Approx. 12.0W	<u>N/A</u>	EXCEED
Standby	Approx. 2.5W	Approx. 4.0W	Seiko Ep
Sleep	Approx. 1.7W	Approx. 1.8W	other cor
Power Off	Approx. 0.3W	Approx. 0.3W	purposes
		Αμμιύχ. υ.δνν	
nergy Star Certified	Yes		trademar
Printer Software			any and
Dperating System Compatibility	Windows XP/XP Professional x6	34 Edition/Vista/7/8	are simul
	Mac OS X 10.5.8 or later		availabilit
	Yes		may vary
On-line Guide			
Dn-line Guide Epson Genuine Ink Cartridges	Page Yield ^{*3}	Order Code	Epson of



435mm (17.1")



d (Pages Per Minute) is calculated ed on A4 plain paper in the de. Print speed may vary depending configuration, print mode, document , software, type of paper used and y. Print speed does not include t time on host computer.

-

xt

d in accordance with ISO/IEC 24734 re average of ESAT from the Office Test for default simplex. For full report country web site via www.epson.com

alds are extrapolated based on jinal methodology from the print of Test Patterns provided in ISO/IEC2 19752. Idds are NOT based on ISO/IEC24711. elds may vary depending on the images re printing, the paper type that you the frequency of your prints and intal conditions such as temperature.



Singapore Pte Ltd. All Rights Reserved. part or in whole, without the written n Epson, is strictly prohibited. EPSON and R VISION are registered trademarks of orporation. All other products names and names used herein are for identification and are the trademarks or registered heir respective owners. Epson disclaims ts in those marks. Print samples shown only. Specifications and product subject to change without notice and een countries. Please check with local or more information.

